
















# Calculation policy: Addition

Key language: sum, total, parts and wholes, plus, add, altogether, more, 'is equal to' 'is the same as'.


Concrete	Pictorial	Abstract
<p>Combining two parts to make a whole (use other resources too e.g. eggs, shells, teddy bears, cars).</p> 	<p>Children to represent the cubes using dots or crosses. They could put each part on a part whole model too.</p> 	<p> <math>4 + 3 = 7</math>            Four is a part, 3 is a part and the whole is seven.         </p> 
<p>Counting on using number lines using cubes or Numicon.</p> 	<p>A bar model which encourages the children to count on, rather than count all.</p> 	<p>The abstract number line:</p> <p>What is 2 more than 4?            What is the sum of 2 and 4?            What is the total of 4 and 2?  <math>4 + 2</math></p> 

<p><b>Regrouping to make 10;</b> using ten frames and counters/cubes or using Numicon.</p> <p><math>6 + 5</math></p> 	<p>Children to draw the ten frame and counters/cubes.</p> 	<p>Children to develop an understanding of equality e.g.</p> <p><math>6 + \square = 11</math></p> <p><math>6 + 5 = 5 + \square</math></p> <p><math>6 + 5 = \square + 4</math></p>
<p><b>TO + O using base 10.</b> Continue to develop understanding of partitioning and place value.</p> <p><math>41 + 8</math></p> 	<p>Children to represent the base 10 e.g. lines for tens and dot/crosses for ones.</p> 	<p><math>41 + 8</math></p> 
<p><b>TO + TO using base 10.</b> Continue to develop understanding of partitioning and place value.</p> <p><math>36 + 25</math></p> 	<p>Children to represent the base 10 in a place value chart.</p> 	<p>Looking for ways to make 10.</p> <p><math>36 + 25 =</math></p> <p><math>30 + 20 = 50</math></p> <p><math>5 + 5 = 10</math></p> <p><math>50 + 10 + 1 = 61</math></p> <p>Formal method:</p> 

Use of place value counters to add HTO + TO, HTO + HTO etc. When there are 10 ones in the 1s column- we exchange for 1 ten, when there are 10 tens in the 10s column- we exchange for 1 hundred.



Children to represent the counters in a place value chart, circling when they make an exchange.



2	4	3
+	3	6
<hr/>		
x	x	
6	1	1

## Conceptual variation; different ways to ask children to solve $21 + 34$

Word problems:

In year 3, there are 21 children and in year 4, there are 34 children. How many children in total?

$21 + 34 = 55$ . Prove it

2	1
+	3
<hr/>	
5	5


$21 + 34 =$

$\square = 21 + 34$

Calculate the sum of twenty-one and thirty-four.








Missing digit problems:




# Calculation policy: Subtraction

Key language: take away, less than, the difference, subtract, minus, fewer, decrease.


Concrete	Pictorial	Abstract
<p><b>Physically taking away and removing objects from a whole</b> (ten frames, Numicon, cubes and other items such as beanbags could be used).</p> <p><math>4 - 3 = 1</math></p>  <p><b>Counting back</b> (using number lines or number tracks) children start with 6 and count back 2.</p> <p><math>6 - 2 = 4</math></p> 	<p>Children to draw the concrete resources they are using and cross out the correct amount. The bar model can also be used.</p> 	<p><math>4 - 3 =</math></p> <p><math>\square - 4 - 3</math></p>  <p>Children to represent the calculation on a number line or number track and show their jumps. Encourage children to use an empty number line</p> 

**Finding the difference** (using cubes, Numicon or Cuisenaire rods, other objects can also be used).

Calculate the difference between 8 and 5.



Children to draw the cubes/other concrete objects which they have used or use the bar model to illustrate what they need to calculate.




Find the difference between 8 and 5.


8 - 5, the difference is

Children to explore why  
 $9 - 6 = 8 - 5 = 7 - 4$  have the same difference.

**Making 10** using ten frames.  
 14 - 5



Children to present the ten frame pictorially and discuss what they did to make 10.




Children to show how they can make 10 by partitioning the subtrahend.


$$\begin{array}{r} 14 - 5 = 9 \\ \quad \swarrow \searrow \\ 4 \quad 1 \end{array}$$

$$\begin{array}{l} 14 - 4 = 10 \\ 10 - 1 = 9 \end{array}$$

**Column method** using base 10.  
 48 - 7




Children to represent the base 10 pictorially.




Column method or children could count back 7.

$$\begin{array}{r} 48 \\ - 7 \\ \hline 41 \end{array}$$

Column method using base 10 and having to exchange.  
41 - 26




Represent the base 10 pictorially, remembering to show the exchange.




Formal column method. Children must understand that when they have exchanged the 10 they still have 41 because  $41 = 30 + 11$ .

$$\begin{array}{r} 41 \\ - 26 \\ \hline 15 \end{array}$$

Column method using place value counters.  
234 - 88




Represent the place value counters pictorially; remembering to show what has been exchanged.



Formal column method. Children must understand what has happened when they have crossed out digits.

$$\begin{array}{r} 234 \\ - 88 \\ \hline 146 \end{array}$$

## Conceptual variation; different ways to ask children to solve $391 - 186$



391	
186	?

Raj spent £391, Timmy spent £186.  
How much more did Raj spend?

Calculate the difference between 391 and 186.

$$\square = 391 - 186$$

$$\begin{array}{r} 391 \\ - 186 \\ \hline \end{array}$$








What is 186 less than 391?

Missing digit calculations








$$\begin{array}{r} 39\square \\ - \square\square6 \\ \hline \square05 \end{array}$$

# Calculation policy: Multiplication

Key language: double, times, multiplied by, the product of, groups of, lots of, equal groups.

Concrete	Pictorial	Abstract
<p>Repeated grouping/repeated addition  <math>3 \times 4</math>  <math>4 + 4 + 4</math>            There are 3 equal groups, with 4 in each group.</p>   <p>Number lines to show repeated groups-  <math>3 \times 4</math></p>   <p>Cuisenaire rods can be used too.</p>	<p>Children to represent the practical resources in a picture and use a bar model.</p>  <p>Represent this pictorially alongside a number line e.g.:</p> 	<p>Abstract number line showing three jumps of four.</p> <p><math>3 \times 4 = 12</math></p> 



<p>Use arrays to illustrate commutativity counters and other objects can also be used.</p> <p><math>2 \times 5 = 5 \times 2</math></p> <div></div> <p>2 lots of 5      5 lots of 2</p>	<p>Children to represent the arrays pictorially.</p> <div></div>	<p>Children to be able to use an array to write a range of calculations e.g.</p> <p><math>10 = 2 \times 5</math> <math>5 \times 2 = 10</math> <math>2 + 2 + 2 + 2 + 2 = 10</math> <math>10 = 5 + 5</math></p>						
<p>Partition to multiply using Numicon, base 10 or Cuisenaire rods.</p> <p><math>4 \times 15</math></p> <div></div>	<p>Children to represent the concrete manipulatives pictorially.</p> <div></div>	<p>Children to be encouraged to show the steps they have taken.</p> <p><math>10 \times 4 = 40</math> <math>5 \times 4 = 20</math> <math>40 + 20 = 60</math></p> <p>10 5 4 x 15 10 5</p> <p>A number line can also be used</p> <div></div>						
<p>Formal column method with place value counters (base 10 can also be used.) <math>3 \times 23</math></p> <div></div> <p>6      9</p>	<p>Children to represent the counters pictorially.</p> <div></div>	<p>Children to record what it is they are doing to show understanding.</p> <p><math>3 \times 23</math>      <math>3 \times 20 = 60</math> <math>3 \times 3 = 9</math> <math>60 + 9 = 69</math></p> <table><tr><td>2</td><td>3</td></tr><tr><td>x</td><td>3</td></tr><tr><td>6</td><td>9</td></tr></table>	2	3	x	3	6	9
2	3							
x	3							
6	9							





Formal column method with place value counters.

Children to represent the counters/base 10, pictorially e.g. the image below.

Formal written method

$$6 \times 23 =$$



	2	3
x		6
	1	3
	8	

When children start to multiply  $3d \times 3d$  and  $4d \times 2d$  etc., they should be confident with the abstract:

To get 744 children have solved  $6 \times 124$ .  
To get 2480 they have solved  $20 \times 124$ .

x	1	2	4
	7	4	4
	2	4	8
	3	2	2
	4		

## Conceptual variation; different ways to ask children to solve $6 \times 23$

23	23	23	23	23	23
----	----	----	----	----	----

?

Mai had to swim 23 lengths, 6 times a week.  
How many lengths did she swim in one week?

With the counters, prove that  $6 \times 23 = 138$


Find the product of 6 and 23

$$6 \times 23 =$$

$$\boxed{\phantom{00}} = 6 \times 23$$






x	2	3
	1	3
	8	

What is the calculation?  
What is the product?




# Calculation policy: Division

Key language: share, group, divide, divided by, half.


Concrete	Pictorial	Abstract		
<p>Sharing using a range of objects.</p> <p><math>6 \div 2</math></p>  <p>Repeated subtraction using Cuisenaire rods above a ruler.</p> <p><math>6 \div 2</math></p>  <p>3 groups of 2</p>	<p>Represent the sharing pictorially.</p>  <p>Children to represent repeated subtraction pictorially.</p> 	<p><math>6 \div 2 = 3</math></p> <table border="1" data-bbox="1043 1543 1115 1991"><tr><td>3</td><td>3</td></tr></table> <p>Children should also be encouraged to use their 2 times tables facts.</p> <p>Abstract number line to represent the equal groups that have been subtracted.</p> 	3	3
3	3			

Short division using place value counters to group.  
615 ÷ 5



1. Make 615 with place value counters.
2. How many groups of 5 hundreds can you make with 6 hundred counters?
3. Exchange 1 hundred for 10 tens.
4. How many groups of 5 tens can you make with 11 ten counters?
5. Exchange 1 ten for 10 ones.
6. How many groups of 5 ones can you make with 15 ones?


Represent the place value counters pictorially.




Children to the calculation using the short division scaffold.

$$\begin{array}{r} 123 \\ 5 \overline{) 615} \end{array}$$

Long division using place value counters  
2544 ÷ 12



We can't group 2 thousands into groups of 12 so will exchange them.



We can group 24 hundreds into groups of 12 which leaves with 1 hundred.

$$\begin{array}{r} 212 \\ 12 \overline{) 2544} \\ \underline{24} \phantom{00} \\ 24 \phantom{00} \\ \underline{24} \phantom{00} \\ 0 \phantom{00} \end{array}$$

**2d + 1d with remainders** using lollipop sticks. Cuisenaire rods, above a ruler can also be used.


$$13 \div 4$$

Use of lollipop sticks to form wholes- squares are made because we are dividing by 4.



There are 3 whole squares, with 1 left over.

Children to represent the lollipop sticks pictorially.




There are 3 whole squares, with 1 left over.

$$13 \div 4 = 3 \text{ remainder } 1$$




Children should be encouraged to use their times table facts; they could also represent repeated addition on a number line.

'3 groups of 4, with 1 left over'




**Sharing using place value counters.**

$$42 \div 3 = 14$$




$$= 14$$

Children to represent the place value counters pictorially.




Children to be able to make sense of the place value counters and write calculations to show the process.

$$\begin{aligned} 42 &\div 3 \\ 42 &= 30 + 12 \\ 30 &\div 3 = 10 \\ 12 &\div 3 = 4 \\ 10 &+ 4 = 14 \end{aligned}$$



After exchanging the hundred, we have 14 tens. We can group 12 tens into a group of 12, which leaves 2 tens.

$$\begin{array}{r} 0212 \\ 12 \overline{) 2544} \\ \underline{24} \phantom{00} \\ 14 \phantom{00} \\ \underline{12} \phantom{00} \\ 2 \phantom{00} \end{array}$$




After exchanging the 2 tens, we have 24 ones. We can group 24 ones into 2 group of 12, which leaves no remainder.

$$\begin{array}{r} 0212 \\ 12 \overline{) 2544} \\ \underline{24} \phantom{00} \\ 14 \phantom{00} \\ \underline{12} \phantom{00} \\ 24 \phantom{00} \\ \underline{24} \phantom{00} \\ 0 \end{array}$$

## Conceptual variation; different ways to ask children to solve $615 \div 5$

Using the part whole model below, how can you divide 615 by 5 without using short division?



I have £615 and share it equally between 5 bank accounts. How much will be in each account?

615 pupils need to be put into 5 groups. How many will be in each group?

$$5 \overline{) 615}$$

$$615 \div 5 = \square = 615 \div 5$$

What is the calculation?  
What is the answer?

